

SPECIAL APPROVAL

OWNER: _____ PHONE: _____

CONTRACTOR: _____ PHONE: _____

LOCATION: _____

Permit Date _____

Permit No. _____

REQUEST:

To repair the existing private side sewer using a pipe bursting method and inserting high-density polyethylene (HDPE) pipe.

CONDITIONS:

1. Pay applicable fees and secure a District permit and an encroachment permit.
2. The Contractor shall furnish, install, and test, complete and in place, HDPE pipe and fittings, in accordance with ANSI/ASTM F 585, Practice for Insertion of Flexible Polyethylene Pipe into Existing Sewers. The Contractor is responsible for selecting an appropriate method for pipe bursting and maintaining line and grade. The pipe shall be SDR 17. Joints shall be made by using the thermal fusion technique per the manufacturer's recommendation. The Contractor shall allow for contraction of HDPE pipe prior to connecting each end with fittings.
3. The Contractor shall meet with the District inspector prior to obtaining a permit for pipe bursting to confirm that the side sewer is a candidate for pipe bursting. The Contractor shall have a camera on site for the District inspector to view existing side sewer conditions. Side sewers that have sags or are flatter than the minimum slope specified by the District shall not be pipe burst. The District inspector's determination is final. The Contractor shall perform an internal closed circuit television inspection on the side sewer after completing pipe insertion and connecting pipe, and the Contractor shall make application for District witnessing of the television inspection at least twenty-four (24) hours in advance. All work shall conform to Central Contra Costa Sanitary District's Standard Specifications.
4. The undersigned Contractor(s) and Owner(s) hereby accept and assume all liability which may arise from this Special Approval, including, but not limited to, liability for damage to the sewer work on job, and damage to District facilities, and any and all liability, including but not limited to, personal injury, bodily injury and damage to property arising from the construction, ownership, and maintenance of the sewer facilities being constructed, and the property wherein such facilities are to be constructed. Nothing in this Agreement is intended to constitute an admission of liability of the undersigned Contractor or Owner with regard to any third parties, or otherwise alter existing law with regard to liability to third parties.

CONDITIONS ACCEPTED:

Owner: *(Signature)* _____
Name *Company* *Date*

Contractor: *(Signature)* _____
Name *Company* *Date*

DDSD: *(Approval)* _____
Name *Title* *Date*